



Up-to-date Questions and Answers from authentic resources to improve knowledge and pass the exam at very first attempt. ---- Guaranteed.



JN0-422 MCQs
JN0-422 TestPrep
JN0-422 Study Guide
JN0-422 Practice Test
JN0-422 Exam Questions



Juniper

JN0-422

Automation and DevOps Specialist (JNCIS-DevOps)



Question: 135

Which two automation frameworks are agentless when managing Junos devices?

- A. Chef
- B. Ansible
- C. Puppet
- D. SaltStack

Answer: A,B,D

Question: 136

With the inclusion of Python in the Junos OS, what is an advantage that this feature provides administrators?

- A. The ability to compile Python scripts on the device.
- B. The ability to execute Python scripts on the device.
- C. It provides compatibility with all Python versions.
- D. It provides the Python command line (REPL) for testing

Answer: B

Question: 137

What are two benefits of network automation? (Choose two)

- A. to enforce consistency in automated devices
- B. increase programming language fluency
- C. to provide historical configuration management
- D. to improve product lifecycle management

Answer: A,D

Question: 138

Which command is used to execute an Ansible playbook?

- A. ansible-vault
- B. ansible
- C. ansible-galaxy
- D. ansible-playbook

Answer: D

Question: 139


What are two attributes of the jsd JET service process? (Choose two.)

- A. It executes APIs from multiple sessions in parallel
- B. It executes one API request per session.
- C. It creates a separate thread to service JET application requests
- D. It supports only one client session at a time

Answer: A,C

Question: 140

Exhibit:




Referring to the exhibit. how would you solve this issue ?

- A. Enable protocol-version v1 under the SSH configuration hierarchy.
- B. Enable ssh under the NETCONF configuration hierarchy.
- C. Enable outbound-ssh with services netconf under the SSH configuration hierarchy.
- D. Enable trace options under the NETCONF configuration hierarchy.

Answer: C

Question: 141



In the Python commit script, which object provides the post-inheritance candidate configuration?

- A. Commit-Script-Input
- B. Checkout_Configuration
- C. Junos_ Configuration
- D. Canadidate_ Configuration

Answer: B


Question: 142

Which format does an Ansible playbook use

- A. JSON
- B. YAML
- C. XML
- D. CSV

Answer: B

Question: 143



```
import sys

from jnpr.junos import Device
from jnpr.junos.exception import ConnectError

dev = Device(host='vMX-01', user='bob', pasawd='1234')

try:

    dev.open()

except <CHANGEME> as err:

    print "Cannot connect to device: {}".format(err)

    sys.exit(1)

print dev.facts

dev.close()
```

Referring to the exhibit, what should <CHANGEME> be replaced with to correctly print out the exception message Cannot cannot to device ?

- A. PeramissionError
- B. RpcError
- C. ConnectError
- D. CommitError

Answer: C

Question: 144

Click the Exhibit:

```

)
policy int-down-2 {
  events snmp_trap_link_down;
  attributes-match {
    snmp_trap_link_down.interface-name matches "^ge-0/0/0$";
  }
  then {
    ignore;
  }
}
policy int-down-3 {
  events snmp_trap_link_down;
  attributes-match {
    snmp_trap_link_down.interface-name matches "^ge-0/0/0$";
  }
  then {
    change-configuration {
      commands {
        "set system host-name int-test-3";
      }
      user-name user;
      commit-options {
        log "int down test policy 3";
      }
    }
  }
}
policy int-down-4 {
  events snmp_trap_link_down;
  attributes-match {
    snmp_trap_link_down.interface-name matches "^ge-0/0/0$";
  }
  then {
    event-script hostname.slax;
  }
}

hostname slax event script
version 1.1;

```

```

version 1.1;

ns junos = "http://xml.juniper.net/junos/*/junos";
ns xnm = "http://xml.juniper.net/xnm/1.1/xnm";
ns jcs = "http://xml.juniper.net/junos/commit-scripts/1.0";

import "../import/junos.xsl";

match / {
  <event-script-results> {
    var $hostname-cfg-change = <configuration> {
      <system> {
        <host-name> "int-test-4";
      }
    }
    var $connection = jcs:open();
    var $results := { call jcs:load-configuration ( $connection,
$configuration = $hostname-cfg-change ); }
    if ( $results//xnm:error ) {
      for-each ( $results//xnm:error ) {
        expr jcs:sylog( "daemon.error", "Event script error: ", message );
      }
    }
    expr jcs:close($connection);
  }
}

```


Referring to the exhibit, what will the hostname be if interface ge-0/0/0 goes down?

- A. int-test-2
- B. int-test-3
- C. int-test-4
- D. int-test-1

Answer: A

Question: 145

Click the Exhibit button.



```
<rpc-reply xmlns:junos="http://xml.juniper.net/junos/17.3/junos">
  <rpc>
    <get-interface-information>
      <terse/>
    </get-interface-information>
  </rpc>
  <cli>
    <banner></banner>
  </cli>
</rpc-reply>
```

You need to programmatically extract interface information using PYEZ from you MX Series device. You log in and use the show interfaces terse I display xml rpc command and see the information shown in the exhibit.

What is the correct PyEZ syntax to accomplish this task?

A)

```
dev.rpc.get_interface_information()
```

B)

```
dev.rpc.get_interface_information(terse=True)
```

C)

```
dev.rpc.get-interface-information()
```

D)

```
dev.rpc.get-interface-information(terse=True)
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

Question: 146

Which transport protocol must be supported by RFC-compliant NETCONF implementations?

- A. SSH
- B. Telnet
- C. TLS
- D. BEEP

Answer: A

Question: 147

Which command is valid for assessing a Junos device using the RESTful API on the default port?

A)

```
curl http://user:pass123@192.168.1.1/rpc/get-interface-information?interface-name=lo0
```

B)

```
curl http://192.168.1.1/rpc/get-interface-information?interface-name=lo0 -u "user:pass123"
```

C)

```
curl -u "user:pass123" http://192.168.1.1:80/rpc/get-interface-information?interface-name=lo0
```

D)

```
curl http://user:pass123@192.168.1.1:3000/rpc/get-interface-information?interface-name=lo0
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

Question: 148

Which YAML document represents a valid mapping(dictionary) of sequences (lists) ?

A)

```
---
ge-0/0/0:
- "10.0.0.1"
- "192.168.1.1"
ge-0/0/1:
- "172.16.1.2"
- "10.1.2.3"
```

B)

```
---
- ge-0/0/0:
- "10.0.0.1"
- "192.168.1.1"
- ge-0/0/1:
- "172.16.1.2"
- "10.1.2.3"
```

C)

```
---
ge-0/0/0
- "10.0.0.1"
- "192.168.1.1"
ge-0/0/1
- "172.16.1.2"
- "10.1.2.3"
```

D)

```
---
[ge-0/0/0:
- "10.0.0.1"
- "192.168.1.1"
ge-0/0/1:
- "172.16.1.2"
- "10.1.2.3"]
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: A


Question: 149

Which two statements are correct about JSON characteristics? (Choose two.)


- A. JSON is programming language independent
- B. JSON uses ## for comments
- C. JSON is a supported template language.
- D. JSON is easy to read for humans and devices.

Answer: A,D

Question: 150



```
{
  "configuration" : [
    {
      "attributes" : {"junos:changed-seconds" : "1326166710",
        "junos:changed-localtime" : "2017-08-28 11:17:55
UTC"
      },
      "system" : [
        {
          "services" : [
            {
              "ssh" : [
                {
                  "root-login" : [
                    {
                      "data" : "allow"
                    }
                  ],
                  "max-sessions-per-connection" : [
                    {
                      "data" : "32"
                    }
                  ]
                }
              ]
            }
          ]
        }
      ]
    }
  ]
}
```



```
UTC"
  "system" : [
    {
      "services" : [
        {
          "ssh" : [
            {
              "root-login" : [
                {
                  "data" : "allow"
                }
              ],
              "max-sessions-per-connection" : [
                {
                  "data" : "32"
                }
              ]
            }
          ]
        }
      ]
    }
  ]
}
```

Referring to the exhibit, the configuration components are displayed in which format?

- A. XML
- B. YANG
- C. YAML
- D. JSON

Answer: D

Question: 151


Which statement is true about a Junos ephemeral configuration database?

- A. It can be used to reduce commit time.
- B. It can be used to archive previous versions of the ephemeral configuration.
- C. It can be used to validate configuration data semantics.
- D. It can be used to trigger a commit script.

Answer: A

Question: 152

Click the Exhibit button.



Where would the Python code shown in the exhibit be used?

- A. a commit script
- B. an op script
- C. an event script
- D. an SNMP script

Answer: D

Question: 153

What is a purpose of RubyEZ?

- A. to provide a Ruby interface to Juniper devices that support Puppet

- B. to provide an off device interface to Ruby
- C. to provide a Ruby interface to the Junos Space management product
- D. to provide a Ruby framework for interfacing with Juniper devices

Answer: C

Question: 154

What is the purpose of an `_init_.py` file ?

- A. An `_init_.py` file sets all magic attributes with the `_init_` prefix with the appropriate default values.
- B. An `_init_.py` file initializes a Python application with default values for instantiated objects.
- C. An `_init_.py` file contains strings for additional directories that the Python interpreter adds to `sys.path []`.
- D. An `_init_.py` file indicates to the Python interpreter that a directory contains Python packages or modules.

Answer: B

Killexams.com is a leading online platform specializing in high-quality certification exam preparation. Offering a robust suite of tools, including MCQs, practice tests, and advanced test engines, Killexams.com empowers candidates to excel in their certification exams. Discover the key features that make Killexams.com the go-to choice for exam success.



Exam Questions:

Killexams.com provides exam questions that are experienced in test centers. These questions are updated regularly to ensure they are up-to-date and relevant to the latest exam syllabus. By studying these questions, candidates can familiarize themselves with the content and format of the real exam.

Exam MCQs:

Killexams.com offers exam MCQs in PDF format. These questions contain a comprehensive collection of questions and answers that cover the exam topics. By using these MCQs, candidate can enhance their knowledge and improve their chances of success in the certification exam.

Practice Test:

Killexams.com provides practice test through their desktop test engine and online test engine. These practice tests simulate the real exam environment and help candidates assess their readiness for the actual exam. The practice test cover a wide range of questions and enable candidates to identify their strengths and weaknesses.

Guaranteed Success:

Killexams.com offers a success guarantee with the exam MCQs. Killexams claim that by using this materials, candidates will pass their exams on the first attempt or they will get refund for the purchase price. This guarantee provides assurance and confidence to individuals preparing for certification exam.

Updated Contents:

Killexams.com regularly updates its question bank of MCQs to ensure that they are current and reflect the latest changes in the exam syllabus. This helps candidates stay up-to-date with the exam content and increases their chances of success.