



Up-to-date Questions and Answers from authentic resources to improve knowledge and pass the exam at very first attempt. ----- Guaranteed.



PCEP-30-01 MCQs
PCEP-30-01 TestPrep
PCEP-30-01 Study Guide
PCEP-30-01 Practice Test
PCEP-30-01 Exam Questions



AICPA

PCEP-30-01

Certified Entry-Level Python Programmer



<https://killexams.com/pass4sure/exam-detail/PCEP-30-01>

Question: 34

A function definition starts with the keyword:

- A. def
- B. function
- C. fun

Answer: A

Explanation:

Topic: def

Try it yourself:

```
def my_first_function():
```

```
    print('Hello')
```

```
my_first_function() # Hello
```

https://www.w3schools.com/python/python_functions.asp

Question: 35

Consider the following code snippet:

```
w = bool(23)
```

```
x = bool("")
```

```
y = bool(' ')
```

```
z = bool([False])
```

Which of the variables will contain False?

- A. z
- B. x
- C. y
- D. w

Answer: B

Explanation:

Topic: type casting with bool()

Try it yourself:

```
print(bool(23)) # True
```

```
print(bool("")) # False
```

```
print(bool(' ')) # True
```

```
print(bool([False])) # True
```

The list with the value False is not empty and therefore it becomes True

The string with the space also contain one character

and therefore it also becomes True

The values that become False in Python are the following:

```
print(bool("")) # False
```

```
print(bool(0)) # False
```

```
print(bool(0.0)) # False
```

```
print(bool(0j)) # False
```

```
print(bool(None)) # False
```

```
print(bool([])) # False
```

```
print(bool(())) # False
```

```
print(bool({})) # False
```

```
print(bool(set())) # False
```

```
print(bool(range(0))) # False
```

Question: 36

Assuming that the tuple is a correctly created tuple,

the fact that tuples are immutable means that the following instruction:

```
my_tuple[1] = my_tuple[1] + my_tuple[0]
```

- A. can be executed if and only if the tuple contains at least two elements
- B. is illegal
- C. may be illegal if the tuple contains strings
- D. is fully correct

Answer: B

Explanation:

Topics: dictionary

Try it yourself:

```
my_tuple = (1, 2, 3)
```

```
my_tuple[1] = my_tuple[1] + my_tuple[0]
```

```
# TypeError: 'tuple' object does not support item assignment
```

A tuple is immutable and therefore you cannot

assign a new value to one of its indexes.

Question: 37

You develop a Python application for your company.

You have the following code.

```
def main(a, b, c, d):
```

```
    value = a + b * c - d
```

```
    return value
```

Which of the following expressions is equivalent to the expression in the function?

A. $(a + b) * (c - d)$

B. $a + ((b * c) - d)$

C. None of the above.

D. $(a + (b * c)) - d$

Answer: D

Explanation:

Topics: addition operator multiplication operator

subtraction operator operator precedence

Try it yourself:

```
def main(a, b, c, d):
```

```
    value = a + b * c - d # 3
```

```
    # value = (a + (b * c)) - d # 3
```

```
    # value = (a + b) * (c - d) # -3
```

```
    # value = a + ((b * c) - d) # 3
```

```
    return value
```

```
print(main(1, 2, 3, 4)) # 3
```

This question is about operator precedence

The multiplication operator has the highest precedence and is therefore executed first.

That leaves the addition operator and the subtraction operator

They both are from the same group and therefore have the same precedence.

That group has a left-to-right associativity.

The addition operator is on the left and is therefore executed next.

And the last one to be executed is the subtraction operator

Question: 38

Which of the following variable names are illegal? (Select two answers)

- A. TRUE
- B. True
- C. true
- D. and

Answer: B, D

Explanation:

Topics: variable names keywords True and

Try it yourself:

```
TRUE = 23
```

```
true = 42
```

```
# True = 7 # SyntaxError: cannot assign to True
```

```
# and = 7 # SyntaxError: invalid syntax
```

You cannot use keywords as variable names.

Question: 39

Which of the following for loops would output the below number pattern?

```
11111
```

```
22222
```

```
33333
```

44444

55555

A. for i in range(0, 5):
print(str(i) * 5)

B. for i in range(1, 6):
print(str(i) * 5)

C. for i in range(1, 6):
print(i, i, i, i, i)

D. for i in range(1, 5):
print(str(i) * 5)

Answer: B

Explanation:

Topics: for range() str() multiply operator string concatenation

Try it yourself:

for i in range(1, 6):

print(str(i) * 5)

"""

11111

22222

33333

44444

55555

"""

print('—————')

for i in range(0, 5):

print(str(i) * 5)

"""

00000

11111

22222

33333

44444

"""

```
print('-----')
```

```
for i in range(1, 6):
```

```
    print(i, i, i, i, i)
```

"""

1 1 1 1 1

2 2 2 2 2

3 3 3 3 3

4 4 4 4 4

5 5 5 5 5

"""

```
print('-----')
```

```
for i in range(1, 5):
```

```
    print(str(i) * 5)
```

"""

11111

22222

33333

44444

"""

You need range (1, 6)

because the start value 1 is inclusive and the end value 6 is exclusive. To get the same numbers next to each other (without a space between them) you need to make a string and then use the multiply operator string concatenation

The standard separator of the print() function is one space. print(i, i, i, i, i) gives you one space between each number. It would work with print(i, i, i, i, i, sep="") but that answer is not offered here.

Question: 40

The digraph written as `#!` is used to:

- A. tell a Unix or Unix-like OS how to execute the contents of a Python file.
- B. create a docstring.
- C. make a particular module entity a private one.
- D. tell an MS Windows OS how to execute the contents of a Python file.

Answer: A

Explanation:

Topics: `#!` shebang

This is a general UNIX topic.

Best read about it here:

[https://en.wikipedia.org/wiki/Shebang_\(Unix\)](https://en.wikipedia.org/wiki/Shebang_(Unix))

Killexams.com is a leading online platform specializing in high-quality certification exam preparation. Offering a robust suite of tools, including MCQs, practice tests, and advanced test engines, Killexams.com empowers candidates to excel in their certification exams. Discover the key features that make Killexams.com the go-to choice for exam success.



Exam Questions:

Killexams.com provides exam questions that are experienced in test centers. These questions are updated regularly to ensure they are up-to-date and relevant to the latest exam syllabus. By studying these questions, candidates can familiarize themselves with the content and format of the real exam.

Exam MCQs:

Killexams.com offers exam MCQs in PDF format. These questions contain a comprehensive collection of questions and answers that cover the exam topics. By using these MCQs, candidate can enhance their knowledge and improve their chances of success in the certification exam.

Practice Test:

Killexams.com provides practice test through their desktop test engine and online test engine. These practice tests simulate the real exam environment and help candidates assess their readiness for the actual exam. The practice test cover a wide range of questions and enable candidates to identify their strengths and weaknesses.

Guaranteed Success:

Killexams.com offers a success guarantee with the exam MCQs. Killexams claim that by using this materials, candidates will pass their exams on the first attempt or they will get refund for the purchase price. This guarantee provides assurance and confidence to individuals preparing for certification exam.

Updated Contents:

Killexams.com regularly updates its question bank of MCQs to ensure that they are current and reflect the latest changes in the exam syllabus. This helps candidates stay up-to-date with the exam content and increases their chances of success.