

QUESTIONS & ANSWERS

Kill your exam at first Attempt



648-375 Dumps
648-375 Braindumps
648-375 Real Questions
648-375 Practice Test
648-375 dumps free



Cisco

648-375

Cisco Express Foundation for Systems Engineers



<http://killexams.com/pass4sure/exam-detail/648-375>

QUESTION: 131

Which three operating modes can you configure on a switch that is running VTP?
(Choose three)

- A. clear
- B. server
- C. administrator
- D. client
- E. transparent
- F. network
- G. user

Answer: B, D, E

QUESTION: 132

What is used to dynamically create a pair or multiple pairs of sources addresses?

- A. ESP
- B. ISAKMP
- C. AH
- D. IKE

Answer: B

QUESTION: 133

If you want to complete the low-level design of an in-door wireless network, what should your first step be?

- A. Develop a detailed solution design
- B. Begin implementation and planning
- C. Write a customer to-do list
- D. Conduct a detailed business requirements gap analysis

Answer: D

QUESTION: 134

Upgrading customer switches provides a variety of opportunities, which two factors are worth discussing with your customers? (Choose two)

- A. Gigabit Ethernet support
- B. need for a complete equipment upgrade
- C. savings on reduced cabling
- D. smaller chassis footprint
- E. advantage of dual core over single point

Answer: A, E

QUESTION: 135

What should you keep in mind when using a midspan PSE?

- A. It can be used to deliver PoE over 100BASE-T connections
- B. It can implement power delivery only over the spare wires of the copper cabling
- C. It defines terminology to describe a port that acts as a PSE to a powered device
- D. It states that power can be delivered by an end-point PSE

Answer: B

QUESTION: 136

Which two characteristics should you keep in mind when configuring VLANs on a switch? (Choose two)

- A. VLAN partitions provide partitions for traffic in the VLAN
- B. A VLAN comes into existence before a local port is configured to be associated with the VLAN
- C. A VLAN comes into existence when a user deletes a VLAN from the local VTP database
- D. The VLANs share one MAC address across the switch
- E. Each VLAN has its own MAC address table

Answer: A, E

QUESTION: 137

Which three are integrated Smart Applications included with the Cisco Unified Communications 500 Series? (Choose three)

- A. Smart Business Suite
- B. Connected Data Protector
- C. TimeCard View
- D. Cisco Unified CallConnector
- E. Cisco WebEx PhoneConnect
- F. VoiceView Express

Answer: A, D, F

QUESTION: 138

What is a characteristic of a classful network environment?

- A. The subnet mask is exchanged during the routing update process
- B. The network automatically summarizes the network mask at major network boundaries
- C. The route summarization process cannot be controlled manually
- D. Different subnets within the same major network must have the same subnet mask

Answer: B

QUESTION: 139

Which three business requirements development activities are performed in the prepare phase before creating a technology strategy? (Choose three)

- A. identifying and assessing customer business requirements
- B. documenting and categorizing customer business requirements in terms of performance, availability, capacity, and security
- C. producing a documented technology strategy
- D. creating a bill of materials
- E. presenting documented business requirements to a customer and having the customer validate them
- F. completing a site survey

Answer: A, B, E

QUESTION: 140

What should you keep in mind when using ACLs to secure traffic?

- A. ACLs filter packets by the source and destination address only

- B. ACLs do not filter packets by the source and destination port
- C. ACLs do not look at sequence or acknowledgement numbers
- D. The two types of ACLs are dynamic and reflexive

Answer: C

QUESTION: 141

Which three WAN technologies does the Cisco SR 500 Family support? (Choose three)

- A. Fast Ethernet
- B. Fibre Channel
- C. ADSL
- D. T1
- E. IPv6
- F. SIP trunking

Answer: A, C, F

QUESTION: 142

The Cisco SA 500 Series Security Appliances are built specifically for businesses with less than 100 employees. What are three important benefits of this device? (Choose three)

- A. business-grade firewall
- B. premium support via SMARTnet
- C. site-to-site VPN for remote offices
- D. Cisco IOS software-based
- E. email security
- F. XML support

Answer: A, C, D

QUESTION: 143

Which IPsec protocol would you use to provide authentication, integrity checking, and confidentiality to IP packets?

- A. AH
- B. ESP

- C. IKE
- D. ISAKMP

Answer: B

QUESTION: 144

What should you do to prevent VLAN hopping?

- A. Enable all unused ports and place them into an unused VLAN
- B. Set unused access ports to trunking ON
- C. Disable some unused ports
- D. Disable all unused ports and place them into an unused VLAN

Answer: D

QUESTION: 145

You are offering the integrated services router solution to a client. Which two features and benefits would you describe? (Choose two)

- A. IP telephony and voicemail integration
- B. standard security
- C. dynamic configuration
- D. integrated web-based tools
- E. speeds and feeds
- F. lower pricing

Answer: A, B

QUESTION: 146

Which companion switch is recommended to be installed with the Cisco Smart Business Communications System?

- A. C2950
- B. C3750
- C. ESW 500
- D. SRW224G4

Answer: C

QUESTION: 147

When you are about to configure VTP, which two characteristics should you keep in mind? (Choose two)

- A. A VTP password must be configured on all switches
- B. VTP should be set to server mode
- C. The server mode cannot delete VLANs
- D. VTP can run only version 1
- E. The VTP domain is restricted to building switch blocks
- F. Switches in a VTP domain can run different VTP versions

Answer: A, E

QUESTION: 148

Which port-sales SMART Design documents are available to help you better serve your customers? (Choose three)

- A. Design Guide
- B. Small Business Product Guide
- C. Implementation Guide
- D. Solution Profile
- E. Cisco Configuration Assistant
- F. Application Notes

Answer: A, C, F

QUESTION: 149

When offering the Cisco Aironet 1200 and 1300 Series Access Points, which two characteristic should you focus on? (Choose two)

- A. limitation of antenna usage
- B. wireless LAN infrastructure
- C. configuration options
- D. companion switch solutions
- E. functionality of the RF signals

Answer: A, E

QUESTION: 150

You need to address issues of bandwidth contention and consumption across a trunk link and on VLAN 1. What should you do?

- A. Deny any single, range, or group of VLANs to traverse the trunk link
- B. Permit only those VLANs that are required for Layer 2 access and connectivity to traverse the trunk link
- C. Permit any single, range, or group of VLANs to traverse the trunk link
- D. Permit any number of VLANs to traverse the trunk link

Answer: A

For More exams visit <https://killexams.com/vendors-exam-list>



Kill your exam at First Attempt....Guaranteed!