

# QUESTIONS & ANSWERS

Kill your exam at first Attempt



700-751 Dumps  
700-751 Braindumps  
700-751 Real Questions  
700-751 Practice Test  
700-751 dumps free



**Cisco**

# 700-751

*Cisco SMB Product and Positioning Technical Overview*

<http://killexams.com/pass4sure/exam-detail/700-751>



**QUESTION: 45**

Which statement correctly defines how Cisco Meraki devices behave should they not be able to contact the Meraki Cloud server?

- A. The devices may be re-initiated into a backup mode if an administrator manually intervenes using a direct, local connection.
- B. The network devices attempt to establish a connection to a locally hosted database server that has been configured for high availability.
- C. The network stops passing traffic across all devices and then interlaces including any connected non-Cisco Meraki devices
- D. The network devices continue to function normally (traffic flows at full line rate), but management and configuration functions are interrupted

**Answer: D**

**QUESTION: 46**

Which are two features of the Cisco 1100 or 4000 series ISR router product lines? (Choose two.)

- A. Limited connectivity options
- B. Advanced LTE backup connectivity offering network resiliency for business continuity
- C. 50 to 200 Mbps WAN connections with rich branch services - the same services found at HQ
- D. Cloud-based hardware management
- E. Unified communications with series build apps for Cisco TDM

**Answer: B, E**

**QUESTION: 47**

Which are two major security challenges that occur due to proliferation of users, devices, and applications at the branch? (Choose two.)

- A. Increased complexity for mitigation
- B. Increased complexity for mobility
- C. Increased threat surface area
- D. Increase in threat naivety
- E. Increased complexity in Omni-channel experience

**Answer:** D, E

**QUESTION:** 48

What are two ways that MX security appliances achieve automatic failover and high availability? (Choose two.)

- A. Warm spare (using VRRP)
- B. Always on (availability groups)
- C. Redundant gateways (using HSRP)
- D. Survivable Remote Site Technology (SRST)
- E. Dual redundant uplink support (multiple ISPs)

**Answer:** A, D

**QUESTION:** 49

Which two functions are provided by Scale out / compute intensive applications C4200 and C125 M5? (Choose two.)

- A. Low-frequency trading transactions
- B. Distributed databases
- C. AI/ML with dense GPUs
- D. Microprocessor design
- E. Cloud computing

**Answer:** B, E

**QUESTION:** 50

What is the key architectural component that allows Cisco Meraki's datacenters to be fully HIPAA and PCI compliant?

- A. Layer 7 application fingerprinting
- B. Out-of-band control plane
- C. Non-existent command line interface
- D. Controller and server-free design

**Answer:** B

For More exams visit <https://killexams.com/vendors-exam-list>



*Kill your exam at First Attempt....Guaranteed!*