

QUESTIONS & ANSWERS

Kill your exam at first Attempt



920-249 Dumps
920-249 Braindumps
920-249 Real Questions
920-249 Practice Test
920-249 dumps free



Nortel

920-249

Nortel Application Switch Rls.23.xConfig and Admin

<http://killexams.com/pass4sure/exam-detail/920-249>



Answer: A, C

QUESTION: 54

In which two cases is a Virtual Server Router (VSR) used? (Choose two.)

- A. situations in which pbind is enabled
- B. situations in which all ports are configured with PIPs
- C. active-active scenarios in which either switch can process L4 packets destined for the VIP
- D. active-standby solutions in which only one switch can process L4 packets destined for the VIP

Answer: C, D

QUESTION: 55

In which two circumstances will a backup switch become the master? (Choose two.)

- A. after a successful bid to become the master switch
- B. when forced via the /oper/vrrp/master command
- C. when it ceases to receive advertisements from the master
- D. after receiving an advertisement with a lower priority than its own

Answer: C, D

QUESTION: 56

Which two are enabled by default for a VR? (Choose two.)

- A. Sharing
- B. Tracking
- C. Hot standby
- D. Pre-emption

Answer: A, D

QUESTION: 57

Which three are available VRRP tracking parameters? (Choose three.)

- A. VRs

- B. ports
- C. OSPF
- D. VRID
- E. HSRP

Answer: A, B, E

QUESTION: 58

Which two are true when sharing is enabled for a Virtual Server Routers (VSR)? (Choose two.)

- A. Client processing takes place on both switches.
- B. Server processing takes place on both switches.
- C. All client processing is forced to the master switch.
- D. Sessions are synchronized between both switches.

Answer: A, B

QUESTION: 59

Which two are symptoms of an unexpected system panic? (Choose two.)

- A. The switch resets.
- B. The "System Fault" LED blinks.
- C. The switch gives you a message when you log on.
- D. The switch automatically changes to the "Maintenance" menu when you log on.

Answer: A, C

QUESTION: 60

Which two actions could help with boot problems? (Choose two.)

- A. Check the LED patterns.
- B. Recalculate Kernel Magic.
- C. Boot the FACTORY config block.
- D. Select a different software image.

Answer: C, D

QUESTION: 61

Which two techniques are used to troubleshoot a Nortel Application Switch link issue?
(Choose two.)

- A. Check LED status.
- B. Use the /info/sys command.
- C. Use the /oper/port command.
- D. Use the /info/link command.

Answer: A, D

QUESTION: 62

Which two Ethernet statistics might indicate a speed/duplex mismatch between two link partners? (Choose two.)

- A. frame too long
- B. alignment errors
- C. excessive collisions
- D. internal MAC receive errors

Answer: B, C

QUESTION: 63

Which command causes the switch to dump state information to flash memory and automatically reboot?

- A. /maint/dump
- B. /maint/panic
- C. /maint/tsdmp
- D. /maint/ptdmp

Answer: B

QUESTION: 64

Which command displays current switch information, including code version, MAC address and switch model?

- A. i/log
- B. oper/ip
- C. maint/sys
- D. /i/sys/general

Answer: D

QUESTION: 65

What are two true reasons for booting the FACTORY configuration block?(Choose two.)

- A. The switch image is to be upgraded during boot.
- B. The major revision of the boot image is changed.
- C. Boot problems are caused by unreadable active/backup configuration blocks.
- D. A custom-configured Application Switch is moved to a different environment where it will be reconfigured for a different purpose.

Answer: C, D

QUESTION: 66

Which two command lines are Layer 4 CLI commands? (Choose two.)

- A. /cfg/slb/cur
- B. /info/arp/dump
- C. /stats/port/ <num> <ether/if/link>
- D. /stats/slb/real <real-server-number>

Answer: A, D

QUESTION: 67

Where does the Authoritative Name Server (ANS) reside in a Global Server Load Balancing (GSLB) configuration? (Choose two.)

- A. at your ISP
- B. at the user's ISP
- C. no external ANS used for GSLB
- D. on the GSLB enabled Application Switch

Answer: C, D

QUESTION: 68

Which two statements apply for a basic Global Server Load Balancing (GSLB) process? (Choose two.)

- A. Sites redirect traffic if all local servers are down.

- B. Sites redirect traffic if all local servers are at max connections.
- C. Each GSLB site will return its own VIP in response to DNS queries.
- D. Each GSLB site acts as an NIS server for the sub-domain being load balanced.

Answer: A, B

For More exams visit <https://killexams.com/vendors-exam-list>



Kill your exam at First Attempt....Guaranteed!