

# QUESTIONS & ANSWERS

Kill your exam at first Attempt



HP0-242 Dumps  
HP0-242 Braindumps  
HP0-242 Real Questions  
HP0-242 Practice Test  
HP0-242 dumps free



HP

# HP0-242

Supporting the ESL9000

<http://killexams.com/pass4sure/exam-detail/HP0-242>



**Answer:** C

**QUESTION:** 56

After changing the SCSI ID of any device in the library using the Configure Library Settings screen on the Operator Control Panel, what must you do for the new ID to become effective?

- A. Run Initialize from the Service screen.
- B. Toggle the library from On-Line to Off-Line and back.
- C. Power cycle the library.
- D. Confirm by pressing the Select button.

**Answer:** C

**QUESTION:** 57

You are preparing to install the Pass-Through Mechanism (PTM) to an ESL9000 series library. Using the Operator Control Panel, what must you do before beginning the installation? Select TWO.

- A. Ensure the library is functional by running SysTest.
- B. Set the library StorageWorks defaults.
- C. Perform a library calibration and inventory.
- D. Load firmware version 3.1 required for PTM operation.
- E. Disable the library Auto Clean function.

**Answer:** A, C

**QUESTION:** 58

Using the LibDiag diagnostic software or the Operator Control Panel, the HP model number of an ESL9000 series library must be entered after \_\_\_\_.

- A. a library in a MUSL configuration has been set to Master
- B. adding an E2400-160 Fibre Channel interface controller
- C. the memory module has been replaced
- D. the ESL expansion cage has been installed

**Answer:** C

**QUESTION:** 59

Which statements concerning the HP Library and Tape Tools Read/Write Test utility are correct? Select TWO.

- A. It writes and reads random data from tape. A single blank tape is required.
- B. It reads data from one tape and writes it to another. A tape containing data is required.
- C. It reads data from one tape and writes it to another. The data will be generated randomly.
- D. It checks read/write error rates. The test fails if a certain limit is exceeded.
- E. It checks read/write performance. The test fails if a certain minimum is not reached.

**Answer:** A, D

**QUESTION:** 60

On the Overview screen of the Operator Control Panel, which information on the drive status is NOT provided?

- A. cartridge is loaded or unloaded
- B. loaded cartridge is write-enabled or write-protected
- C. drive error code
- D. compression is enabled or disabled

**Answer:** C

**QUESTION:** 61

The STOP button on the ESL9000 series control panel \_\_\_\_.

- A. terminates running backup operations and switches the library from on-line to off-line
- B. halts all library activity by cutting off power to the library robotics when pressed once
- C. halts robotics movement and unlocks the load port so you can open it to access the magazines
- D. terminates running diagnostics immediately and redisplay the initial control panel screen

**Answer:** B

**QUESTION:** 62

Ultrium 460 drives require a \_\_\_\_ drive per SCSI bus configuration in the ESL9595 series libraries.

- A. one
- B. two
- C. three
- D. four

**Answer:** A



**KILL EXAMS**

**KILLEXAMS.COM**

For More exams visit <https://killexams.com/vendors-exam-list>



*Kill your exam at First Attempt....Guaranteed!*