

QUESTIONS & ANSWERS

Kill your exam at first Attempt



*HP0-A01 Dumps
HP0-A01 Braindumps
HP0-A01 Real Questions
HP0-A01 Practice Test
HP0-A01 dumps free*



HP

HP0-A01

HP-UX 11i v3 System Administration

<http://killexams.com/pass4sure/exam-detail/HP0-A01>



QUESTION: 172

Which command is used to pvcreate a disk that has been previously used in LVM?

- A. pvcreate-F/dev/dsk/c1t2d0
- B. pvcreate -f /dev/dsk/dt2d0
- C. pvcreate-B/dev/rdisk/c1t2d0
- D. pvcreate-f/dev/rdisk/cTt2d0

Answer: D

QUESTION: 173

What can an administrator do to optimize an existing JFS filesystem?

- A. increase SWAP size
- B. change mount options
- C. change syslog.log size
- D. increase the number of logical volumes

Answer: B

QUESTION: 174

Which statements are true regarding the new 11 i v3 Mass Storage Stack device special files (DSFs)? (Select three.)

- A. You can mix Legacy and Persistent DSFs.
- B. You must choose either Legacy or Persistent DSFs.
- C. Both Legacy and Persistent DSFs are created by default.
- D. You can choose for each LUN to use only Persistent DSFs.
- E. You can choose for the entire system to use only Persistent DSFs.
- F. You can set a flag to have Legacy DSFs created for current and future storage devices.

Answer: A, C, E

QUESTION: 175

If the console output displays a FAIL message of a service or application during system startup, which file can provide additional information on the symptoms?

- A. /etc/salog
- B. /etc/rc.log
- C. /etc/messages.log
- D. /var/adm/sw/swagent.log

Answer: B

QUESTION: 176

Click the Exhibit button.

What does the expression by root mean in the /var/adm/kc.log?

```
Change to configuration "nextboot"
at 15:02:06 MET on 13 March 2004 by daemon:
Module "MouseMUM" version [3F340BF2] changed from unused to static (depend).
Module "UsbBootMouse" version [3F340BF2] changed from unused to static (explicit).
=====

Change to configuration "nextboot"
at 15:03:17 MET on 13 March 2004 by daemon:
Module "UsbOfhci" version [3F340BF2] changed from unused to static (explicit).
Module "libusbofhci" version [3F340BF2] changed from unused to static (depend).
=====

Change to configuration "current"
at 15:17:47 MET on 13 March 2004 by root:
Module "ipf" version 0.1.0 changed from loaded (explicit) to unused (explicit)
=====
```

- A. The kernel module was changed via SAM.
- B. The kernel module was changed via web interface (SMH/kcweb).
- C. The kernel module was changed on command line
- D. The kernel module was changed by any user with GID root.

Answer: C

QUESTION: 177

Why do you use the HP-UX System Management Homepage (SMH) and its functional areas? (Select three.)

- A. to configure the HP-UX Event Monitoring System

- B. to see the health of the system and its components
- C. to manage a small number of systems in your environment
- D. to perform HP-UX management tasks such as configuration
- E. to run inventory reports and snapshot comparisons on the HP-UX system
- F. to manage Web-BasedEnterprise Management subscriptions and view events on the system

Answer: B, D, F

QUESTION: 178

Identify the guidelines for selecting device swap areas. (Select two.)

- A. one swap area per disk
- B. dissimilar size of the disks
- C. consider speed of the disks
- D. 1st swap should have priority
- E. minimum two swap areas per disk

Answer: A, C

QUESTION: 179

Which commands are used to list device file details? (Select two).

- A. lsdev
- B. lsf -a
- C. insf-e
- D. ioscan-fn
- E. Issf <specialfile>

Answer: D, E

For More exams visit <https://killexams.com/vendors-exam-list>



Kill your exam at First Attempt....Guaranteed!