

QUESTIONS & ANSWERS

Kill your exam at first Attempt



HP0-J29 Dumps
HP0-J29 Braindumps
HP0-J29 Real Questions
HP0-J29 Practice Test
HP0-J29 dumps free



HP

HP0-J29

Replication Solutions for the HP StorageWorks EVA

<http://killexams.com/pass4sure/exam-detail/HP0-J29>



Which tool helps you select the required fabric characteristics and SAN elements prior to an installation of a SAN with EVA storage and software?

- A. HP SAN Designer
- B. HP SAN Reporter
- C. HP SAN Collector
- D. HP SAN Visibility

Answer: A

QUESTION: 64

You have a customer that has an EVA environment with both local and remote replication licenses. The customer wants to implement HP Data Protector Software. Which statement is true about this environment?

- A. EVA Business Copy is not compatible with HP Data Protector Software.
- B. EVA Business Copy and Continuous Access are compatible with HP Data Protector Software.
- C. HP Data Protector Software can only utilize the replication source for backup.
- D. HP Data Protector Software requires a snapclone as the backup source.

Answer: B

QUESTION: 65

Your customer has a CA environment running in synchronous mode. They have a DR group in a failsafe-unlocked state. What does this mean?

- A. Host I/O and remote replication have resumed and the failed disk has been repaired.
- B. Host I/O and remote replication have been stopped due to a failure of some sort.
- C. Connection to the remote site has been lost and the source DR group logs its host writes to the DR group log until remote replication is D.
- D. Host I/O has resumed to the DR group log and remote replication needs to be manually restarted.

Answer: A

QUESTION: 66

Which pre-delivery requirements must be met before configuring a Continuous Access solution? (Select two.)

- A. Ensure that all cabling layout and naming conventions for the SAN are documented.
- B. Determine if one switch at each side of the dual fabrics is reserved for the inter-switch links to the remote site.
- C. Define the type of link (DWDM, CWDM, FCIP, etc.) to the target site.
- D. Provide intranet access to both sites (management server, switches, etc.) so that management and configuration tasks during delivery can be completed.
- E. Determine one-way intersite link latency in ms.

Answer: C, ?

QUESTION: 67

What would prevent you from being able to delete a synchronized mirrorclone? (Select two.)

- A. It is in advanced asynchronous write mode.
- B. It is still attached to its source.
- C. It has normalized snapclone.
- D. It has a lower redundancy level than the source Vdisk.
- E. It has not been fractured.

Answer: B, E

QUESTION: 68

You add a Vdisk to a replication group. What indicates that storage allocation is complete?

- A. Host I/O and presentation are disabled.
- B. The destination Vdisk properties page indicates that it is complete.
- C. Command View EVA indicates the remote Vdisk as copied.
- D. The DR group status indicates that it is complete.

Answer: B

QUESTION: 69

When configuring EVAs in a six-fabric configuration, which ratio of host to replication fabrics should you have?

- A. 1:5
- B. 2:4
- C. 4:2
- D. 5:1

Answer: C

QUESTION: 70

You have an HP Continuous Access environment, and need to replicate the Replication Solutions Manager (RSM) configuration to the management server at the target site. How can you accomplish this? (Select two.)

- A. Use the CLUI command export server on the source server.
- B. Use the CLUI command set server on the target server.
- C. Use the replication manager's GUI option Export RSM database to Remote RSM on the target server.
- D. Use the replication manager's GUI option Duplicate RSM database to Remote RSM on the source server.
- E. On the target server, use the replication manager's GUI option Import RSM database from Remote RSM.

Answer: B, E

For More exams visit <https://killexams.com/vendors-exam-list>



Kill your exam at First Attempt....Guaranteed!