

QUESTIONS & ANSWERS

Kill your exam at first Attempt



HP0-Y26 Dumps
HP0-Y26 Braindumps
HP0-Y26 Real Questions
HP0-Y26 Practice Test
HP0-Y26 dumps free



HP

HP0-Y26

Building a Complete HP ProCurve Mobility Solution

<http://killexams.com/pass4sure/exam-detail/HP0-Y26>



QUESTION: 67

You are configuring an HP ProCurve MSM710 Mobility Controller to be a secondary Controller in a Layer 3 mobility domain. What information must be entered into the new controller to indicate that it is not the primary controller?

- A. IP address of the primary controller
- B. VSC bindings configured on the primary controller
- C. MAC address of the primary controller
- D. Priority ID of the primary controller

Answer: A

QUESTION: 68

You must configure Layer 3 mobility for a Virtual Service Community (VSC) on an HP ProCurve MSM760 Mobility Controller. What is the effect of enabling WPA2 Opportunistic Key Caching?

- A. Clients associated with the VSC will not be required to re-submit credentials after roaming.
- B. Clients associated with the VSC will not be required to cache encryption keys before roaming.
- C. Clients associated with the VSC will not be required to acquire new IP addresses after roaming.
- D. Clients associated with the VSC will not be required to use WPA2 unless they roam.

Answer: A

QUESTION: 69

A wireless client associated a VSC configured on an HP ProCurve MSM710 Mobility Controller has received an IP address from a DHCP server. Layer 3 Mobility has been enabled for the VSC. When the client moves to another location, it associates with another MSM AP that is controlled by another controller in the same roaming domain. The second AP and controller are in one subnet, and the first AP and controller are in another subnet. Where will the second AP forward the client's traffic?

- A. First AP
- B. First Mobility Controller
- C. Second Mobility Controller
- D. Destination address in each packet

Answer: B

QUESTION: 70

In an HP ProCurve mobility solution, when is a roam initiated?

- A. When the Home AP determines signal strength is weak
- B. When the wireless client determines the roam is necessary
- C. When the Home Controller determines the client's traffic is degraded
- D. When the Foreign AP detects the wireless client

Answer: B

QUESTION: 71

The administrator of an HP MSM710 Controller is configuring QoS for a Virtual Service Community in an HP mobility solution. What is the effect of the "VSC based Very-high" setting?

- A. Users in this VSC will have the highest priority access to bandwidth on the Mobility Controller's port.
- B. The Mobility Controller will use DSCP to ensure traffic sent by users in this VSC receives high priority from upstream switches and routers.
- C. The 802.1p marker for all packets sent by users in this VSC will be marked with "7" to indicate the highest possible priority.
- D. Users in this VSC will have the highest priority access to bandwidth in the wireless connections to APs bound this VSV.

Answer: D

QUESTION: 72

At a hotel, you must configure a Subscription service to enable users of an HP ProCurve mobility solution to use credit cards to purchase premium wireless service. Which additional requirement must the hotel fulfill to implement this solution?

- A. The hotel must use the Guest Management tool.
- B. The hotel must also accept credit cards for other services.
- C. The hotel must have RF Manager installed.
- D. The hotel must have an account with a payment service.

Answer: D

QUESTION: 73

You must install an HP ProCurve MSM422 AP at a customer site. Some users will be separated from the AP by a wall that reduces by 3dB. How will this affect the signal to these users?

- A. It will decrease by 1W.
- B. It will decrease by 30 percent.
- C. It will decrease by one-third.
- D. It will decrease by half.

Answer: D

For More exams visit <https://killexams.com/vendors-exam-list>



Kill your exam at First Attempt....Guaranteed!