## **QUESTIONS & ANSWERS**

Kill your exam at first Attempt

KILL EXAMS

HPE6-A15 Dumps HPE6-A15 Braindumps HPE6-A15 Real Questions HPE6-A15 Practice Test HPE6-A15 dumps free



**HP** 

# **HPE6-A15**

Aruba Certified ClearPass Professional 6.5







#### **QUESTION: 90**

Based on the Enforcement Policy configuration shown, which Enforcement Profile will an employee receive when connecting an iOS device to for the first time using EAP-PEAP?

Configuration » Enforcement » Policies » Edit - Onboard Provisioning - Aruba

Enforcement Policies - Onboard Provisioning - Aruba

Summary Enforcemen	Rules					
Enforcement:						
Name:	Onboard Provisioning - Aruba					
Description:	Enforcement policy controlling network access for device provisioning					
Enforcement Type:	RADIUS					
Default Profile:	[Deny Access Profile]					
Rules:						
Rules Evaluation Algorithm:	First applicable					
Conditions		Actions				
1. (Authentication:OuterMet	hod EQUALS EAP-TLS)	[Allow Access Profile], Onboard Post-Provisioning - Aruba				
2. (Authentication: Source Ed	QUALS [Onboard Devices Repository])	[Allow Access Profile], Onboard Post-Provisioning - Aruba				
3. (Authentication: Source N	OT EQUALS [Onboard Devices Repository])	[Allow Access Profile], Onboard Pre-Provisioning - Aruba				

- A. Deny Access Profile
- B. Onboard Device Repository
- C. Cannot be determined
- D. Onboard Post-Provisioning Aruba
- E. Onboard Pre-Provisioning Aruba

**Answer:** E

#### **QUESTION:** 91

Which component of a ClearPass Service is mandatory?

- A. Authorization Source
- B. Profiler
- C. Role Mapping Policy
- D. Enforcement
- E. Posture

**Answer:** D

#### **QUESTION: 92**

Refer to the screen capture. The following is seen in the Licensing tab of the Publisher

after a cluster has been formed between a publisher (192.168.0.53) and subscriber (192.168.0.54): What is the maximum number of clients that can be Onboarded on the subscriber node?

Administration » Server Manager » Licensing

#### Licensing

Lice	ense Summary	Servers	Applications			
Clus	ter License Sun	ımary				
	License Typ	e		Total Count	U	Ised Count
1	Policy Manag	er		1000	0	
2	ClearPass En	terprise		550	0	
				Note:	The ClearPass Enter	rprise license coun
Serv	er License Sum	mary		Alloward Co.		
Serv	er License Sum Server	mary	License Type	Alloward Co.	The ClearPass Enter	rprise license coun
Serv			License Type Policy Manage	a		
	Server			a er	Total Count	Used Coun
1	<b>Server</b> 192.168.0.53		Policy Manage	er erprise	Total Count	Used Coun

A. 1000

B. 550

C. 25

D. 525

E. 500

**Answer:** B

#### **QUESTION:** 93

Under which circumstances is it necessary to use an SNMP based Enforcement prune to send a VLAN?


A. when a VLAN must be assigned to a wired user on an Aruba Mobility Controller B. when a VLAN must be assigned to a wireless user on an Aruba Mobility Controller C. when a VLAN must be assigned to a wired user on a third party wired switch that does not support RADIUS return attributes

D. when a VLAN must be assigned to a wired user on an Aruba Mobility Access Switch E. when a VLAN must be assigned to a wired user on a third party wired switch that does not support RADIUS accounting

#### **Answer:** A

#### **QUESTION:** 94

Based on me network topology diagram shown, how many clusters are needed for this deployment?



- **A.** 1
- B. 2
- C. 3
- D. 4
- E. 8


#### **Answer:** D

#### **QUESTION:** 95

Based on me Policy configuration shown, which VLAN will be assigned when a user with ClearPass role Engineer authenticates to the network successfully on Saturday using connection protocol WEBAUTH?

Configuration » Enforcement » Policies » Edit - Vlan enforcement

#### Enforcement Policies - Vlan enforcement



- A. Deny Access
- B. Employee VLAN
- C. Internet VLAN
- D. Full Access VLAN

**Answer:** B

#### **QUESTION: 96**

The ClearPass Event Viewer displays an error when a user authenticates with EAP-TLS to ClearPass through an Aruba Controller Wireless Network. What is the cause of this error?



- A. The controllers shared secret used during the certificate exchange is incorrect.
- B. The NAS source interface IP is incorrect.
- C. The client sent an incorrect shared secret for the 802 1X authentication.
- D. The controller used an incorrect shared secret for the RADIUS authentication.
- E. The client's shared secret used during the certificate exchange is incorrect.

#### **Answer:** D

#### **QUESTION:** 97

An employee provisions a personal smart phone using the Onboard process in addition the employee has a corporate laptop provided by IT that connects to the secure network How many licenses does the employee consume?

- A. 1 Policy Manager license. 2 Guest licenses
- B. 2 Policy Manager licenses. 1 Onboard License
- C. 1 Posey Manager license. 1 Onboard License
- D. 1 Policy Manager license. 1 Guest License
- E. 2 Policy Manager licenses. 2 Onboard Licenses

#### **Answer:** B

#### **QUESTION:** 98

Why can the Onguard posture check not be performed during 802.1 x authentication?

- A. Health Checks can not be used with 802.1x
- B. Onguard uses RADIUS, so an additional service must be created.
- C. Onguard uses HTTPS, so an additional service must be created.
- D. Onguard uses TACACS, so an additional service must be created.
- E. 802.1x is already secure, so Onguard is not needed

**Answer:** A

### For More exams visit https://killexams.com/vendors-exam-list

